```html
<html>
    <head>
        <title>Custom Question - Conditional Form Example</title>
        <style>
            ul, #myUL {
                list-style-type: none;
            }
            #myUL {
                margin: 0;
                padding: 0;
            }
            .nested {
                display: none;
            }
            .active {
                display: block;
            }
        </style>
        <script type="text/javascript">
        // The app calls this to overwrite the current answer with a saved answer.
        function setAnswerForCR(the_answer) {
            var answers = JSON.parse(the_answer);
            var questionBtn = document.getElementById(answers[0]);
            questionBtn.checked = true;
            selectQuestion(questionBtn);
            var ansBtn = document.getElementById(answers[1]);
            ansBtn.checked = true;
        }

        // The app and fireAnswerForCR calls this to get the current answer.
        function getAnswerForCR() {
            var form = document.getElementById("example-form");
            var question = form.elements["question"].value;
            var answer = form.elements["question-"+question].value;
            var the_answer = [question];
            if (answer) {
                the_answer.push(answer);
            }

            return JSON.stringify(the_answer);
        }

        // Sends the answer to the app. It should be called anytime the answer changes.
```

```
      function fireAnswerForCR() {
         window.location = "codereadr:answerForCR:" + getAnswerForCR();
      }

      // Tests the current answer input for a regular expression match.
      function isAnswerValidForCR() {
         return true;
      }

      function selectQuestion(element) {
         var nested = document.getElementsByClassName("nested");
         for (j = 0; j < nested.length; j++) {
            nested[j].classList.remove("active")
         }
         element.parentElement.nextElementSibling.classList.add("active");
         fireAnswerForCR();
      }
      </script>
   </head>
   <body>
      <form id="example-form">
         <span>What do you like the most?</span>
         <ul id="myUL">
            <li>
               <span><input type="radio" name="question" value="movies" id="movies"
oninput="selectQuestion(this)">Movies</span>
               <ul class="nested">
                  <li>
                     <span>Which movie do you like the most?</span>
                     <ul>
                        <li><input type="radio" name="question-movies" value="aladdin"
id="aladdin" oninput="fireAnswerForCR()">Aladdin</li>
                        <li><input type="radio" name="question-movies" value="lion-king"
id="lion-king" oninput="fireAnswerForCR()">The Lion King</li>
                        <li><input type="radio" name="question-movies" value="movies-na"
id="movies-na" oninput="fireAnswerForCR()">N/A</li>
                     </ul>
                  </li>
               </ul>
            </li>
            <li>
               <span><input type="radio" name="question" value="books" id="books"
oninput="selectQuestion(this)">Books</span>
```

```html
      <ul class="nested">
        <li>
          <span>Which author do you like the most?</span>
          <ul>
            <li><input type="radio" name="question-books" value="jk-rowling" id="jk-rowling" oninput="fireAnswerForCR()">JK Rowling</li>
            <li><input type="radio" name="question-books" value="grr-martin" id="grr-martin" oninput="fireAnswerForCR()">GRR Martin</li>
            <li><input type="radio" name="question-books" value="books-na" id="books-na" oninput="fireAnswerForCR()">N/A</li>
          </ul>
        </li>
      </ul>
    </li>
    <li>
      <span><input type="radio" name="question" value="music" id="music" oninput="selectQuestion(this)">Music</span>
      <ul class="nested">
        <li>
          <span>Which rapper do you like the most?</span>
          <ul>
            <li><input type="radio" name="question-music" value="drake" id="drake" oninput="fireAnswerForCR()">Drake</li>
            <li><input type="radio" name="question-music" value="eminem" id="eminem" oninput="fireAnswerForCR()">Eminem</li>
            <li><input type="radio" name="question-music" value="music-na" id="music-na" oninput="fireAnswerForCR()">N/A</li>
          </ul>
        </li>
      </ul>
    </li>
  </ul>
</form>
</body>
</html>
```